



## environmental affairs

Department: -  
Environmental Affairs  
**REPUBLIC OF SOUTH AFRICA**

Private Bag X 447 · PRETORIA · 0001 · Fedsure Building · 315 Pretorius Street · PRETORIA  
Tel (+ 27 12) 310 3911 · Fax (+ 2712) 322 2682

**NEAS Reference:** DEA/EIA/1211/2012

**DEA Reference:** 14/12/16/3/3/1/572

**Enquiries:** Toinette van der Merwe

**Telephone:** 012-395-1782 **Fax:** 012-320-7539 **E-mail:** Tvandermerwe@environment.gov.za

Mr Tom Smith  
Eskom Holdings SOC Limited  
Private Bag X1  
Beacon Bay  
**EAST LONDON**  
5201

Tel no: 043 703 2339

Fax no: 086 538 8281

### **PER FACSIMILE / MAIL**

Dear Mr Smith

**ENVIRONMENTAL AUTHORISATION IN TERMS OF THE NATIONAL ENVIRONMENTAL MANAGEMENT ACT, 1998: GN R543/544/546: PROPOSED CONSTRUCTION A 132KV POWERLINE FROM THE DIEPRIVIER SUBSTATION TO EXISTING KAREEDOUW SUBSTATION, INCLUDING THE UPGRADE OF THE EXISTING KAREEDOUW SUBSTATION, CACADU DISTRICT MUNICIPALITY, EASTERN CAPE PROVINCE**

With reference to the above application, please be advised that the Department has decided to grant authorisation. The environmental authorisation (EA) and reasons for the decision are attached herewith.


In terms of regulation 10(2) of the Environmental Impact Assessment Regulations, 2010 (the Regulations), you are instructed to notify all registered interested and affected parties, in writing and within 12 (twelve) days of the date of the EA, of the Department's decision in respect of your application as well as the provisions regarding the submission of appeals that are contained in the Regulations.

Your attention is drawn to Chapter 7 of the Regulations, which prescribes the appeal procedure to be followed. This procedure is summarised in the attached document. Kindly include a copy of this document with the letter of notification to interested and affected parties.

Should the applicant or any other party wish to appeal any aspect of the decision a notice of intention to appeal must be lodged by all prospective appellants with the Minister, within 20 days of the date of the EA, by means of one of the following methods:

By facsimile: 0123207561;  
By post: Private Bag X447,  
Pretoria, 0001; or

I certify that this document is a true reproduction/copy of the original which was examined by me and that, from my observation, the original has not been altered in any manner

  
Signature  
27/09/2012



By hand: 2nd Floor, Fedsure Building, North Tower,  
Cnr. Lilian Ngoyi (Van der Walt) and Pretorius Streets,  
Pretoria.

If the applicant wishes to lodge an appeal, it must also serve a copy of the notice of intention to appeal on all registered interested and affected parties as well as a notice indicating where, and for what period, the appeal submission will be available for inspection, should you intend to submit an appeal.

Please include the Department (*Attention: Director: Integrated Environmental Authorisations*) in the list of interested and affected parties, notified through your notification letter to interested and affected parties, for record purposes.

**Appeals must be submitted in writing to:**

Mr Z Hassam Director: Appeals and Legal Review, of this Department at the above mentioned addresses or fax number. Mr Hassam can also be contacted at:

Tel: 012-310-3271

Email: [AppealsDirectorate@environment.gov.za](mailto:AppealsDirectorate@environment.gov.za)

The authorised activity/ies shall not commence within twenty (20) days of the date of signature of the authorisation. Further, please note that the Minister may, on receipt of appeals against the authorisation or conditions thereof suspend the authorisation pending the outcome of the appeals procedure.

Yours faithfully

**Mr Ishaam Abader**  
**Deputy Director-General: Legal, Authorisations, Compliance and Enforcement**  
**Department of Environmental Affairs**

Date: 19/09/2013

CC:	Mr W Fyvie	Consultancy (EAP)	Tel: 041-392-7500	Fax: 041-363-9300
	Mr L Els	DEDEA	Tel: 041-508-5800	Fax: 041-508-5867
	Mr N Machalesi	Kouga Local Municipality	Tel: 042-200-2200	Fax: 042-293-1114
	Mr S Malaza	Compliance Monitoring (DEA)	Tel: 012-310-3397	Fax: 012-320-5744



3680269

I certify that this document is a true reproduction/copy of the original which was examined by me and that, from my observation, the original has not been altered in any manner

Signature

2 27/09/2016

**APPEALS PROCEDURE IN TERMS OF CHAPTER 7 OF THE NEMA EIA REGULATIONS, 2010 (THE REGULATIONS) AS PER GN R. 543 OF 2010 TO BE FOLLOWED BY THE APPLICANT AND INTERESTED AND AFFECTED PARTIES UPON RECEIPT OF NOTIFICATION OF AN ENVIRONMENTAL AUTHORISATION (EA)**

APPLICANT	INTERESTED AND AFFECTED PARTIES (IAPs)
1. Receive EA from the relevant Competent Authority (the Department of Environmental Affairs [DEA]).	1. Receive EA from Applicant/Consultant.
2. Within 12 days of date of the EA notify all IAPs of the EA and draw their attention to their right to appeal against the EA in terms of Chapter 7 of the Regulations.	2. N/A.
3. If you want to appeal against the EA, submit a notice of intention to appeal within 20 days of the date of the EA with the Minister of Water and Environmental Affairs (the Minister).	3. If you want to appeal against the EA, submit a notice of intention to appeal within 20 days of the date of the EA. with the Minister of Water and Environmental Affairs (the Minister).
4. After having submitted your notice of intention to appeal to the Minister, provide each registered IAP with a copy of the notice of intention to appeal within 10 days of lodging the notice.	4. After having submitted your notice of intention to appeal to the Minister, provide the applicant with a copy of the notice of intention to appeal within 10 days of lodging the notice.
5. The Applicant must also serve on each IAP: <ul style="list-style-type: none"> <li>a notice indicating where and for what period the appeal submission will be available for inspection.</li> </ul>	5. Appellant must also serve on the Applicant within 10 days of lodging the notice, <ul style="list-style-type: none"> <li>a notice indicating where and for what period the appeal submission will be available for inspection by the applicant.</li> </ul>
6. The appeal must be submitted in writing to the Minister within 30 days after the lapsing of the period of 20 days provided for the lodging of the notice of intention to appeal.	6. The appeal must be submitted to the Minister within 30 days after the lapsing of the period of 20 days provided for the lodging of the notice of intention to appeal.
7. Any IAP who received a notice of intention to appeal may submit a responding statement to that appeal to the Minister within 30 days from the date that the appeal submission was lodged with the Minister.	7. An Applicant who received notice of intention to may submit a responding statement to the appeal to the Minister within 30 days from the date that the appeal submission was lodged with the Minister.

**NOTES:**

**1. An appeal against a decision must be lodged with:-**


- the Minister of Water and Environmental Affairs if the decision was issued by the Director- General of the Department of Environmental Affairs (or another official) acting in his/ her capacity as the delegated Competent Authority;
- the Minister of Justice and Constitutional Development if the applicant is the Department of Water Affairs and the decision was issued by the Director- General of the Department of Environmental Affairs (or another official) acting in his/ her capacity as the delegated Competent Authority;

**2. An appeal lodged with:-**

- the Minister of Water and Environmental Affairs must be submitted to the Department of Environmental Affairs;
- the Minister of Justice and Constitutional Development must be submitted to the Department of Environmental Affairs;

**3. An appeal must be:-**

- submitted in writing;
- accompanied by:
  - a statement setting out the grounds of appeal;
  - supporting documentation which is referred to in the appeal; and
  - a statement that the appellant has complied with regulation 62 (2) or (3) together with copies of the notices referred to in regulation 62.



3480 259

I certify that this document is a true reproduction/copy of the original which was examined by me and that, from my observation, the original has not been altered in any manner

*[Signature]*  
27/09/2016

*[Signature]*



## environmental affairs

Department:  
Environmental Affairs  
REPUBLIC OF SOUTH AFRICA

# Environmental Authorisation


In terms of Regulation 36 of the Environmental Impact Assessment Regulations, 2010

Construction a 132kv power lines from the Dieprivier Substation to existing Kareedouw Substation, including the upgrade of the existing Kareedouw Substation

### Cacadu District Municipality

<b>Authorisation register number:</b>	14/12/16/3/3/1/572
<b>NEAS reference number:</b>	DEA/EIA/1211/2012
<b>Last amended:</b>	First issue
<b>Holder of authorisation:</b>	Eskom Holdings SOC Limited
<b>Location of activity:</b>	EASTERN CAPE PROVINCE: Kouga Local Municipality

This authorisation does not negate the holder of the authorisation's responsibility to comply with any other statutory requirements that may be applicable to the undertaking of the activity.



I certify that this document is a true reproduction/copy of the original which was examined by me and that, from my observation, the original has not been altered in any manner

*Kenneth Muyebo*  
Signature  
27/09/2016

## Decision

The Department is satisfied, on the basis of information available to it and subject to compliance with the conditions of this environmental authorisation, that the applicant should be authorised to undertake the activities specified below.

Non-compliance with a condition of this authorisation may result in criminal prosecution or other actions provided for in the National Environmental Management Act, 1998 and the EIA regulations.

Details regarding the basis on which the Department reached this decision are set out in Annexure 1.

## Activities authorised

By virtue of the powers conferred on it by the National Environmental Management Act, 1998 (Act 107 of 1998) and the Environmental Impact Assessment Regulations, 2010 the Department hereby authorises –

### ESKOM HOLDINGS SOC LIMITED

with the following contact details –

Mr Tom Smith

Eskom Holdings SOC Limited

Private Bag X1

Beacon Bay

**EAST LONDON**


5201

Tel: 043 703 2339

Fax: 086 538 8281

Cell: 082 806 1665

E-mail: [SmithTV@eskom.co.za](mailto:SmithTV@eskom.co.za)




I certify that this document is a true reproduction/copy of the original which was examined by me and that, from my observation, the original has not been altered in any manner

Signature

27/09/2016

to undertake the following activities (hereafter referred to as "the activity") indicated in Listing Notices 1, 2 or 3 (GN R. 544, 545 & 546):

Listed activities.	Activity/Project description
<p><u>GN R544 Item 10(i):</u></p> <p>The construction of facilities or infrastructure for the transmission and distribution of electricity –</p> <p>(i) outside urban areas or industrial complexes with a capacity of more than 33 but less than 275 kilovolts.</p>	<p>The proposed activities include the construction of a 132kV distribution line between Dieprivier and Kareedouw.</p>
<p><u>GN R544 Item 11(iii):</u></p> <p>The construction of</p> <p>(iii) bridges,</p> <p>where such construction occurs within a watercourse or within 32 metres of a watercourse, measured from the edge of a watercourse, excluding where such construction will occur behind the development setback line.</p>	<p>Routing of the distribution lines close to the R62 or close to watercourses is likely to require construction of a bridge/s across a watercourse.</p>
<p><u>GN R544 Item 18:</u></p> <p>The infilling or depositing of any material of more than 5 cubic metres into, or the dredging, excavation, removal or moving of soil, sand, shells, shell grit, pebbles or rock from</p> <p>(i) a watercourse.</p>	<p>The construction of access road across a water course may be required where the distribution line will occur inland of a natural depression in which water flows regularly or intermittently.</p>
<p><u>GN R546 Item 3(a), (b) (ii):</u></p> <p>The construction of masts or towers of any material or type used for telecommunication broadcasting or radio transmission purposes where the mast</p> <p>(a) is to be placed on a site not previously used for this purpose, and</p> <p>(b) will exceed 15 metres in height, but excluding attachments to existing buildings and masts on rooftops.</p>	<p>Masts for telecommunication purposes may be constructed at the existing or proposed sub-stations.</p>



3680269

I certify that this document is a true reproduction/copy of the original which was examined by me and that, from my observation, the original has not been altered in any manner

*Kenneth Ndyobo* 27/09/2016

Listed activities	Activity/Project description
In the Eastern Cape province (ii) outside urban areas.	
<u>GN R546 Item 12(b):</u> The clearance of an area of 300 square metres or more of vegetation where 75% or more of the vegetative cover constitutes indigenous vegetation,  In the Eastern Cape province (b) within critical biodiversity areas identified in bioregional plans.	Clearing of vegetation along each route within the servitude will likely occur, which will impact on some of the CBAs occurring along the route as identified.
<u>GN R546 Item 13(a), (c)ii:</u> The clearance of an area of 1 hectare or more of vegetation where 75% or more of the vegetative cover constitutes indigenous vegetation, (exclusion clauses not applicable): (c) In the eastern Cape (ii) outside urban areas.	Clearing of vegetation along each route within the servitude will likely occur, which will impact on some of the CBAs occurring along the route as identified.

as described in the Basic Assessment Report (BAR) dated November 2012 at:

Alternative S1	Latitude	Longitude
Starting point of activity (Kareedouw Substation)	33°55'39.480"	24°12'47.280"
Middle point of activity	33°56'56.100"	24°23'08.400"
End point of activity (new Dieprivier Substation)	33°00'15.600"	24°33'28.740"

- for the construction a 132kv power line from the Dieprivier Substation to existing Kareedouw Substation, including the upgrade of the existing Kareedouw Substation, Kouga Local Municipality, Eastern Cape Province, hereafter referred to as "the property", and will include the following:
  - Construction of a 35 km 132kV power line from the Dieprivier Substation to existing Kareedouw Substation;



I certify that this document is a true reproduction/copy of the original which was examined by me and that, from my observation, the original has not been altered in any manner

*[Handwritten Signature]*  
 Signature  
 27/09/2016

*[Handwritten Signature]*

3580269

- The existing Kareedouw Substation will be upgraded to allow to accommodate the additional distribution lines and redundant infrastructure will be decommissioned;
- The servitude width will be 31 m (15.5 m on either side of the centre line of the power line);
- Where no access roads exist new access roads will be constructed; and
- A telecommunication mast will be constructed.

## Conditions of this Environmental Authorisation

### Scope of authorisation

1. The preferred route corridor S1 located as the coordinates above is approved.
2. Authorisation of the activity is subject to the conditions contained in this authorisation, which form part of the environmental authorisation and are binding on the holder of the authorisation.
3. The holder of the authorisation is responsible for ensuring compliance with the conditions contained in this environmental authorisation. This includes any person acting on the holder's behalf, including but not limited to, an agent, servant, contractor, sub-contractor, employee, consultant or person rendering a service to the holder of the authorisation.
4. The activities authorised may only be carried out at the property as described above.
5. Any changes to, or deviations from, the project description set out in this authorisation must be approved, in writing, by the Department before such changes or deviations may be effected. In assessing whether to grant such approval or not, the Department may request such information as it deems necessary to evaluate the significance and impacts of such changes or deviations and it may be necessary for the holder of the authorisation to apply for further authorisation in terms of the regulations.
6. This activity must commence within a period of five (5) years from the date of issue of this authorisation. If commencement of the activity does not occur within that period, the authorisation lapses and a new application for environmental authorisation must be made in order for the activity to be undertaken.
7. Commencement with one activity listed in terms of this authorisation constitutes commencement of all authorised activities.
8. The holder of an environmental authorisation must notify the competent authority of any alienation, transfer and change of ownership rights in the property on which the activity is to take place.



I certify that this document is a true reproduction/copy of the original which was examined by me and that, from my observation, the original has not been altered in any manner.

*Kenneth Mdyebe*  
Signature 2/10/2016



## Notification of authorisation and right to appeal

9. The holder of the authorisation must notify every registered interested and affected party, in writing and within 12 (twelve) calendar days of the date of this environmental authorisation, of the decision to authorise the activity.
10. The notification referred to must –
  - 10.1. specify the date on which the authorisation was issued;
  - 10.2. inform the interested and affected party of the appeal procedure provided for in Chapter 7 of the Environmental Impact Assessment Regulations, 2010;
  - 10.3. advise the interested and affected party that a copy of the authorisation will be furnished on request; and
  - 10.4. give the reasons of the competent authority for the decision.
11. The holder of the authorisation must publish a notice –
  - 11.1. informing interested and affected parties of the decision;
  - 11.2. informing interested and affected parties where the decision can be accessed; and
  - 11.3. drawing the attention of interested and affected parties to the fact that an appeal may be lodged against this decision in the newspaper(s) contemplated and used in terms of regulation 54(2)(c) and (d) and which newspaper was used for the placing of advertisements as part of the public participation process.

## Management of the activity

12. The Environmental Management Programme (EMPr) submitted as part of the Application for EA is hereby approved. This EMPr must be implemented and adhered to.

## Monitoring



I certify that this document is a true reproduction/copy of the original which was examined by me and that from my observation, the original has not been altered in any manner

Signature

13. The applicant must appoint a suitably experienced independent Environmental Control Officer (ECO) for the construction phase of the development that will have the responsibility to ensure that the mitigation/rehabilitation measures and recommendations referred to in this authorisation are implemented and to ensure compliance with the provisions of the EMPr.
  - 13.1. The ECO shall be appointed before commencement of any authorised activity/ies.
  - 13.2. Once appointed, the name and contact details of the ECO must be submitted to the *Director: Compliance Monitoring* of the Department.

- 13.3. The ECO shall keep record of all activities on site, problems identified, transgressions noted and a task schedule of tasks undertaken by the ECO.
- 13.4. The ECO shall remain employed until all rehabilitation measures, as required for implementation due to construction damage, are completed and the site is ready for operation.

### Recording and reporting to the Department


14. All documentation e.g. audit/monitoring/compliance reports and notifications, required to be submitted to the Department in terms of this authorisation, must be submitted to the *Director: Compliance Monitoring* at the Department.
15. The holder of the authorisation must submit an environmental audit report to the Department within 30 days of completion of the construction phase (i.e. within 30 days of site handover) and within 30 days of completion of rehabilitation activities.
16. The environmental audit report must indicate the date of the audit, the name of the auditor and the outcome of the audit in terms of compliance with the environmental authorisation conditions as well as the requirements of the EMPr.
17. Records relating to monitoring and auditing must be kept on site and made available for inspection to any relevant and competent authority in respect of this development.

### Commencement of the activity

18. The authorised activity shall not commence within twenty (20) days of the date of signature of the authorisation.
19. An appeal under section 43 of the National Environmental Management Act (NEMA), Act 107 of 1998 (as amended), does not suspend an environmental authorisation or exemption, or any provisions or conditions attached thereto, or any directive, unless the Minister, MEC or delegated organ of state directs otherwise.
20. Should you be notified by the Minister of a suspension of the authorisation pending appeal procedures, you may not commence with the activity until such time that the Minister allows you to commence with such an activity in writing.



I certify that this document is a true reproduction/copy of the original which was examined by me and that, from my observation, the original has not been altered in any manner

  
Signature

27/09/2016



29. Construction must include appropriate design measures that allow surface and subsurface movement of water along drainage lines so as not to impede natural surface and subsurface flows. Drainage measures must promote the dissipation of storm water run-off.

### General

30. A copy of this authorisation and the approved EMPr must be kept at the property where the activity/ will be undertaken. The authorisation and approved EMPr must be produced to any authorised official of the Department who requests to see it and must be made available for inspection by any employee or agent of the holder of the authorisation who works or undertakes work at the property.
31. The holder of the authorisation must notify both the *Director: Integrated Environmental Authorisations* and the *Director: Compliance Monitoring* at the Department, in writing and within 48 (forty eight) hours, if any condition of this authorisation cannot be or is not adhered to. Any notification in terms of this condition must be accompanied by reasons for the non-compliance.
32. National government, provincial government, local authorities or committees appointed in terms of the conditions of this authorisation or any other public authority shall not be held responsible for any damages or losses suffered by the applicant or his successor in title in any instance where construction or operation subsequent to construction be temporarily or permanently stopped for reasons of non-compliance by the applicant with the conditions of authorisation as set out in this document or any other subsequent document emanating from these conditions of authorisation.

Date of environmental authorisation:

19 SEPTEMBER 2013



Mr Ishaam Abader


Deputy Director-General: Legal, Authorisations, Compliance and Enforcement

Department of Environmental Affairs



2080269

I certify that this document is a true reproduction/copy of the original which was examined by me and that, from my observation, the original has not been altered in any manner.



Signature  
27/09/2013


## Annexure 1: Reasons for Decision

### 1. Information considered in making the decision

In reaching its decision, the Department took, *inter alia*, the following into consideration -

- a) The information contained in the BAR dated November 2012 and additional information;
- b) The comments received from the organs of state and interested and affected parties as included in the BAR dated November 2012 and additional information;
- c) Mitigation measures as proposed in the BAR dated November 2012, the additional information and the EMPr;
- d) The information contained in the specialist studies contained within Appendix D of the BAR dated November 2012; and
- e) The objectives and requirements of relevant legislation, policies and guidelines, including section 2 of the National Environmental Management Act, 1998 (Act 107 of 1998).

### 2. Key factors considered in making the decision



I certify that this document is a true production/copy of the original which was examined by me and that has not been altered in any manner.

*Kenneth Ndoyebo*  
Signature

29/09/2016

All information presented to the Department was taken into account in the Department's consideration of the application. A summary of the issues which, in the Department's view, were of the most significance is set out below.


- a) The findings of all the specialist studies conducted and their recommended mitigation measures.
- b) The need for the proposed project stems from the provision the need to increase the reserve capacity on the existing lines, while providing spare capacity for the future electricity needs of the growing local economy of the area.
- c) The BAR dated November 2012 identified all legislation and guidelines that have been considered in the preparation of the BAR.
- d) The methodology used in assessing the potential impacts identified in the BAR dated November 2012 and the specialist studies have been adequately indicated.
- e) A sufficient public participation process was undertaken and the applicant has satisfied the minimum requirements as prescribed in the EIA Regulations, 2010 for public involvement.

### 3. Findings

After consideration of the information and factors listed above, the Department made the following findings -

- a) The identification and assessment of impacts are detailed in the BAR dated November 2012 and additional information and sufficient assessment of the key identified issues and impacts have been completed.
- b) The procedure followed for impact assessment is adequate for the decision-making process.
- c) The proposed mitigation of impacts identified and assessed adequately curtails the identified impacts.
- d) The information contained in the BAR dated November 2012 and additional information is accurate and credible.
- e) EMP measures for the pre-construction, construction and rehabilitation phases of the development were proposed and included in the BAR and will be implemented to manage the identified environmental impacts during the construction process.

In view of the above, the Department is satisfied that, subject to compliance with the conditions contained in the environmental authorisation, the proposed activity will not conflict with the general objectives of integrated environmental management laid down in Chapter 5 of the National Environmental Management Act, 1998 and that any potentially detrimental environmental impacts resulting from the proposed activity can be mitigated to acceptable levels. The environmental authorisation is accordingly granted.



I certify that this document is a true reproduction/copy of the original which was examined by me and that, from my observation, the original has not been altered in any manner

*Kenneth Noyebo*  
Signature  
27/09/2016